



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at <https://www.dpccocmms.nic.in>)



CONSENT ORDER

Certificate No. :G-40157

Name of the unit	:	TECHCHEF E-WASTE SOLUTIONS PRIVATE LIMITED
Address	:	C-61, Third Floor, DDA Sheds, Okhla Industrial Area, Phase-1, Delhi-110020, Okhla Industrial Area, Delhi - 110020
Area	:	Industrial
Area Name	:	Okhla Industrial Area
Consent Order No	:	DPCC/CMC/2024/10583247
Date of issue	:	20/03/2024
Product Name	:	Refurbished Electrical & Electronic Items (EEE)
Product Capacity	:	1 Metric Tonnes/Day
Fuel Type	:	As Per Records C: As Per Records Q: As Per Records
Control Equipment	:	As Per Records
ETP Details	:	D.Capacity: No Trade Effluent Type: Others
Stack Details	:	As Per Records AT: As Per Records H: As Per Records
Activity Name	:	Refurbishing of E-waste(Without discharge of trade effluent and use of fuel)
Category	:	[GREEN]
Generator Set(s)	:	As Per Records

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **GREEN** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 10583247 valid from 01/02/2024 to 31/01/2039.**

Incharge, WMC-III.

Terms and Conditions

1. The consent is only valid if the unit falls within the boundary of the notified redevelopment area or in conformity to MPD 2021.
2. The Consent is Activity specific and based on the information provided in the consent application along with the documents subsequent documents / information submitted to Delhi Pollution Control Committee(DPCC). The Consentee shall apply for fresh consent in case of any change in the activity manufacturing process.
3. The Consentee shall Display the Name of the Unit along with its Address, name of the Proprietor Directors Partners, Contact Phone No(s) its Activities Processes Products, Status of Consent to Operate (under Air and Water Acts) Order No, Date of Issue, Valid upto and K.No of the Meter (Electricity/Power connection in the name of Unit) on a Display Board to be Provided Fixed at the main gate of the unit. The Consentee shall submit the photograph of the Display Board along with the application for Renewal of Consent to Operate as a proof for proving Display Board.
4. The Consentee shall comply with the prescribed standards of emission as applicable under the provisions of Environment (Protection) Act 1986 and the Rules made there under.
5. The Consentee shall comply with the norms laid down vide Gazette Notification of Ministry of Environment and Forests, Government of India dated 17.05.2002 for the Diesel Generator Set(s), used if any and further Notifications in this regard.
6. The Consentee shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest MOEF), Government of India Dated 17.05.2002 and 12.07.2004 as amended to date for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines (Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements) if any, as per the Gazette Notification of MOEF, Dated 11.07.2002, as amended to date. Stack Height for sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i) Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii) $14Q0.3$ (Q- Total SO₂ emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula, $H - h \geq 0.2K \sqrt{VA}$ (H- Total Height of stack in meter, h - Height of the building in meters where the Generator Set is installed, KVA - Total Generator capacity of the set in KVA).
7. If the Unit generates Hazardous and other Wastes (including Waste Used Oil), it shall comply with requirement of Hazardous Waste (Management and Transboundary Movement) Rules, 2016, as amended to date, and shall obtain Authorization under the said Rules and an undertaking shall be submitted by the Unit that Hazardous Waste /material is would be duly handed over to the Authorized Recycler Reprocessor registered with Central Pollution Control Board / State Pollution Control Board/Pollution Control Committee for its onward recycling disposal as per the Rules.
8. The Consentee shall comply with the requirements of the Plastic Waste Management Rules 2016, Batteries Waste Management Rules, 2022, E-Waste (Management) Rules, 2022, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the RecyclerReprocessor Authorized Agencies for such wastes, authorized by MOEF Central Pollution Control Board/ State Pollution Control Board /Pollution Control Committee (DPCC) as per details available on their websites wherever applicable.
9. The consentee shall dispose off the generated construction and demolition waste as per Construction & Demolition Waste Management Rules, 2016 and Solid Waste as per Solid Waste Management Rules, 2016 and also at the time of operation.
10. The Consentee shall make regular payment of its share for the operation and maintenance of Common Effluent Treatment Plant (CETP) to concerned CETP society before 7th of every month. In case of non-compliance, the consent may be revoked and the unit may be closed.
11. Capacity of the Diesel Generator Set (s) installed in the unit Nil KVA. Consentee shall remove unused

DG Set, if any, from the premises before commissioning of the unit.

12. The Consentee shall obtain permission from Appropriate Authority/ Delhi Jal Board for ground water extraction, if any, as per Notification of Govt. of NCT of Delhi Dated 12.07.2010.
13. The Consentee shall submit an application for renewal of Consent to Operate, one month in advance of the expiry date of this CTO Order.
14. The Consentee shall promote the use of LED Lamps/bulbs and should create a system of replacing old bulbs/Lamps.
15. The Consentee shall not carry out any activity falling under the Prohibited Negative list of Industries (Annexure III of MPD-2021) which are prohibited in NCT of Delhi as per MPD-2021.
16. The Consentee shall not use plastic scrap as a raw material.
17. Quantity of domestic / effluent discharge 150 ltr/day. Quantity of Effluent Discharge from the unit shall not exceed as mentioned in OCMMS portal.
18. The Consentee shall maintain the channelization system provided over the sources of fugitive emission in good condition and shall disperse the fugitive emissions through common duct and stack/chimney from the highest rooftop of the surroundings.
19. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken , which may include closure of the unit and prosecution for wrong declaration.
20. The Consent granted to the Consentee in no way confers the right to the Consentee unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi. Notwithstanding anything contained in this consent order. Delhi Pollution Control Committee, reserves its right to review any or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution)Act, 1981, as amended to date and the Water(Prevention and Control of Pollution)Act, 1974, as amended to date.
21. The Consentee shall use approved fuel/ PNG w.c.f. 30.09.2018 as per notification vide ID No. DPCC/RDPC/141-2017/3692 dated 29.06.2018 and the consentee shall remove all the facilities for use of unapproved fuel/ oil.
22. The consentee shall comply with the CAQM directions as related to DG sets or any other applicable directions from time to time.
23. The unit shall ensure all fire safety measures are taken and necessary permissions are obtained from the fire department.
24. The Consentee shall have agreement with authorized recycler(s) and ensure that non-refurbished components are sent to authorized recycler(s).
25. The Consentee shall maintain record of E-waste collected, refurbished and sent to authorized recycler in Form-2 and make such record available for scrutiny by the Central Pollution Control Board/ Delhi Pollution Control Committee or the concerned State Pollution Control Board.
26. The Consentee shall file return in Form-3, to the concerned State Pollution Control Board as the case may be, on or before 30th day of June following the financial year to which that return relates.
27. The Consentee shall not process any E-waste for recovery or refining of materials, unless he is authorized by the concerned State Pollution Control Board as a recycler for refining and recovery of materials.
28. The Consentee shall ensure compliance with the provisions of E-waste (Management) Rules, 2022, as amended and shall also ensure that facility and refurbishing process are in accordance with the standards of guidelines prescribed by Central Pollution Control Board from time to time.
29. The unit shall obtain an Authorization under Hazardous and other Wastes (Management & Transboundary Movement) Rules, 2016.
30. This is being issued as per the office order dated 31.05.2017.

12. Standard for effluent

Parameter Name	Prescribed Standard
----------------	---------------------

13. Standard for emission

Parameter Name	Prescribed Standard
----------------	---------------------

